

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	"6604359"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:40
L2	102	((gear near3 housing) near5 aluminum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:46
L3	35	((gear near3 housing) near5 aluminum) and sleeve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:41
L4	2	((gear near3 housing) near5 aluminum) and sleeve and sheath	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:41
L5	8	((gear near3 housing) near5 aluminum) and (sleeve near3 (bearing or bearings))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:43
L6	0	((gear near3 housing) near5 aluminum) and supercharger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:44
L7	21	((gear near3 housing) and aluminum) and supercharger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:44
L8	13	((gear near3 housing) same aluminum) and supercharger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:44
L9	0	((gear near3 housing) near5 aluminum) and (supercharger or turbocharger or charger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:46
L10	14	((gear or gears) near3 housing) same aluminum) and (supercharger or turbocharger or charger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:47

L11	63	123/559.1.ccls. and aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:48
L12	11	123/559.1.ccls. and (aluminum near3 (housing or casing or case))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:55
L13	7	"6604359"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:59
L14	10	"4145888"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:04
L15	35	supercharger and (disengage or disengagement or disengaging or disengaged) and (drive near3 pulley)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:36
L16	0	supercharger and (disengage or disengagement or disengaging or disengaged) and (drive near3 pulley) and (sleeve and sheath)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:37
L17	14	supercharger and (disengage or disengagement or disengaging or disengaged) and (drive near3 pulley) and (sleeve or sheath)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:39
L18	14	supercharger and (disengage or disengagement or disengaging or disengaged) and (drive near3 pulley) and sleeve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:15
L19	0	supercharger and (disengage or disengagement or disengaging or disengaged) and (drive near3 pulley) and sheath	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:39
L20	34	417/407.ccls. and spacer and (impeller or blade)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:29

L21	2	417/407.ccls. and ("tubular spacer") and (impeller or blade)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:19
L22	2	417/407.ccls. and (tubular near2 spacer) and (impeller or blade)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:20
L23	4106	(spacer near5 (impeller or blade or wheel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:30
L24	39	(turbocharger or supercharger) and (spacer near5 (impeller or blade or wheel)) and (bearing or bearings)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:44
L25	5	"6449950"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:55
L26	382	(compressor or superchrager) and (housing and shroud and diffuser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:58
L27	21461	((compressor or superchrager or turbocharger) near3 (housing or case or casing)) (housing and shroud and diffuser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:58
L28	12037	((compressor or superchrager or turbocharger) near (housing or case or casing)) (housing and shroud and diffuser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:59
L29	11278	((compressor or superchrager or turbocharger) near (housing or case or casing)) ("main housing" and shroud and diffuser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:00
L30	11259	((compressor or superchrager or turbocharger) near (housing or case or casing)) ("main housing" near3 shroud) and diffuser and (separate or separating or separable separation separated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:02

L31	11257	((compressor or supercharger or turbocharger) near (housing or case or casing)) ("main housing" near shroud) and diffuser and (separate or separating or separable separation separated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:02
L32	0	("main housing" near shroud) and diffuser and (separate or separating or separable separation separated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:02
L33	0	((compressor or supercharger or turbocharger) near (housing or case or casing)) and ("main housing" near shroud) and diffuser and (separate or separating or separable separation separated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:03
L34	7	((compressor or supercharger or turbocharger) near (housing or case or casing)) and ("main housing" and shroud) and diffuser and (separate or separating or separable separation separated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:04
L35	8	((compressor or supercharger or turbocharger) near (housing or case or casing)) and ("main housing" and shroud) and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:04
L36	137	((compressor or supercharger or turbocharger) near (housing or case or casing)) and (housing or casing or case) and shroud and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:10
L37	6	415/214.1.ccls. and (housing or casing or case) and shroud and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:09
L38	0	415/215.1.ccls. and (housing or casing or case) and shroud and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:09
L39	638	(compressor or supercharger or turbocharger) and (housing or casing or case) and shroud and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:12

L40	716	(compressor or supercharger or blower) and (housing or casing or case) and shroud and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:12
L41	233	((compressor or supercharger or blower) near3 (housing or casing or case)) and shroud and diffuser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:14
L42	120	((compressor or supercharger or blower) near3 (housing or casing or case)) and shroud and diffuser and (separate or separable or separating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 12:15
L43	19	((compressor or supercharger or blower) near3 (housing or casing or case)) and (shroud near3 (housing or casing or case)) and (diffuser near3 (housing or casing or case))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:13
L44	728	(spring near3 (bearing or bearings)) and ("pre load" or "pre loads" or "pre loaded" or "pre loading")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:15
L45	120	(spring near3 (bearing or bearings)) and (("pre load" or "pre loads" or "pre loaded" or "pre loading") near (bearing or bearings))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:16
L46	62	(spring near3 (("pre load" or "pre loads" or "pre loaded" or "pre loading") near (bearing or bearings)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:27
L47	7	("4961654").URPN.	USPAT	OR	OFF	2005/02/25 13:20
L48	30	(spring near3 (((rigid or rigidly) near3 "pre load" or "pre loads" or "pre loaded" or "pre loading"))) near (bearing or bearings))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:26
L49	20	(spring near3 (("pre load" or "pre loads" or "pre loaded" or "pre loading") near (bearing or bearings))) and (rigid or rigidly)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:28
L50	0	(spring near3 (("pre load" or "pre loads" or "pre loaded" or "pre loading") near (bearing or bearings))) and ((rigid or rigidly) near3 ("pre load" or "pre loads" or "pre loaded" or "pre loading"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:29

L51	2	(spring near3 (("pre load" or "pre loads" or "pre loaded" or "pre loading") near (bearing or bearings))) and ((rigid or rigidly) near5 ("pre load" or "pre loads" or "pre loaded" or "pre loading"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:31
L52	3	(spring near3 (("pre load" or "pre loads" or "pre loaded" or "pre loading") near (bearing or bearings))) and ((rigid or rigidly or stiff) near5 ("pre load" or "pre loads" or "pre loaded" or "pre loading"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:33
L53	7	"2068594"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:16
L54	1265	(bearing or bearings) and (replaceable near3 cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:17
L55	712	(bearing or bearings) and (replaceable near cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:17
L56	21	(bearing or bearings) and (replaceable near "cartridge assembly")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:21
L57	18	(bearing or bearings) and shaft and (replaceable near "cartridge assembly")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:22
L58	0	(bearing or bearings) and (rotatable near shaft) and (replaceable near "cartridge assembly")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:22
L59	2	(bearing or bearings) and (rotatable near shaft) and (replaceable near "cartridge assembly")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:24
L60	33	(bearing or bearings) and (rotatable near shaft) and (replaceable near cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:26

L61	0	(replaceable near3 (bearing or bearings)) and (replaceable near3 shaft) and (replaceable near cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:26
L62	37	(replaceable near3 (bearing or bearings)) and (replaceable near3 shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 14:26